IN THE CLAIMS:

Please **AMEND** the claims as follows:

1. (Currently Amended) In a Foreign Agent, a method of processing a registration request, comprising:

receiving a registration request identifying a Home Agent associated with the mobile node, the registration request further including a <u>NAI extension including a NAI associated</u> with the mobile node;

providing a sub-NAI in <u>a sub-NAI extension to</u> the registration request, the sub-NAI uniquely identifying a session associated with the mobile node; and

sending the registration request to the Home Agent associated with the mobile node.

2. (Currently Amended) In a mobile node, a method of sending a registration request, comprising:

composing a registration request identifying a Home Agent associated with the mobile node, the registration request further including a NAI associated with the mobile node and a sub-NAI that uniquely identifies a session associated with the mobile node; and

appending a NAI extension including a NAI associated with the mobile node to the registration request;

appending a sub-NAI extension including a sub-NAI that uniquely identifies a session associated with the mobile node to the registration request; and sending the registration request.

- 3. (Original) The method as recited in claim 2, wherein the NAI identifies a userID submitted during PPP authentication.
- 4. (Original) The method as recited in claim 2, wherein the NAI is an identifier submitted for authentication of the mobile node.
- 5. (Original) The method as recited in claim 2, wherein the NAI is an e-mail address or a userID submitted in an application layer authentication.
- 6. (Cancelled)
- 7. (Original) The method as recited in claim 2, further comprising: detecting the session;

wherein composing the registration request is performed in response to the detection of the session.

- 8. (Original) The method as recited in claim 2, wherein the session is associated with a device that is separate from the mobile node.
- 9. (Original) The method as recited in claim 2, wherein the session is associated with an application running on the mobile node.
- 10. (Original) The method as recited in claim 2, further comprising:

receiving a registration reply including an IP address associated with the session and identifying the NAI and the sub-NAI; and

mapping the NAI and the sub-NAI to the IP address associated with the session.

- 11. (Original) The method as recited in claim 10, wherein the registration reply includes a NAI extension including the NAI and a sub-NAI extension including the sub-NAI.
- 12. (Currently Amended) In a Foreign Agent, a method of registering a session with a Home Agent, the method comprising:

receiving a registration request identifying a Home Agent associated with the mobile node, the registration request further including a <u>NAI extension including a NAI</u> and a <u>sub-NAI extension including a sub-NAI</u> that uniquely identifies a session associated with the NAI; and

sending the registration request to the Home Agent.

- 13. (Original) The method as recited in claim 12, wherein the NAI is a userID submitted during PPP authentication.
- 14. (Original) The method as recited in claim 12, wherein the NAI is an identifier submitted for authentication of the mobile node.
- 15. (Original) The method as recited in claim 12, wherein the NAI is an e-mail address or a userID submitted in an application layer authentication.
- 16. (Cancelled)
- 17. (Original) The method as recited in claim 12, wherein the session is associated with a device that is separate from the mobile node.

- 18. (Original) The method as recited in claim 12, wherein the session is associated with an application running on the mobile node.
- 19. (Currently Amended) In a Home Agent, a method of registering a session associated with a mobile node, comprising:

receiving a registration request, the registration request including a <u>NAI extension</u> including a NAI identifying a mobile node and a <u>sub-NAI extension including a</u> sub-NAI that uniquely identifies a session associated with the NAI;

authenticating the mobile node using the NAI; and

composing a registration reply including the NAI identifying the mobile node and the sub-NAI that uniquely identifies the session associated with the NAI.;

appending a NAI extension to the registration reply, the NAI extension including the NAI identifying the mobile node; and

appending a sub-NAI extension to the registration reply, the sub-NAI extension including the sub-NAI that uniquely identifies the session associated with the NAI.

- 20. (Original) The method as recited in claim 19, wherein the NAI is a userID submitted during PPP authentication.
- 21. (Cancelled)
- 22. (Cancelled)
- 23. (Original) The method as recited in claim 19, wherein the session is associated with a device that is separate from the mobile node.

- 24. (Original) The method as recited in claim 19, wherein the session is associated with an application running on the mobile node.
- 25. (Currently Amended) In a Home Agent, a method of registering a session associated with a mobile node, comprising:

receiving a registration request, the registration request including a <u>NAI extension</u> including a <u>NAI and a sub-NAI extension including a sub-NAI</u> that uniquely identifies a session associated with the NAI;

obtaining an IP address associated with the session;

composing a registration reply including the IP address, the NAI and the sub NAI that uniquely identifies the session associated with the NAI; and

appending a NAI extension to the registration reply, the NAI extension including the NAI;

appending a sub-NAI extension to the registration reply, the sub-NAI extension including the sub-NAI that uniquely identifies the session associated with the NAI; and sending the registration reply.

- 26. (Original) The method as recited in claim 25, wherein the NAI identifies a userID submitted during PPP authentication.
- 27. (Currently Amended) The method as recited in claim 25, wherein composing the registration reply comprises:

providing the IP address in a Home Address field of the registration reply;

— appending a NAI extension to the registration reply, the NAI extension including the NAI; and

appending a sub-NAI extension to the registration reply, the sub-NAI extension including the sub-NAI.

28. (Cancelled)

- 29. (Original) The method as recited in claim 25, wherein the session is associated with a device that is separate from the mobile node.
- 30. (Original) The method as recited in claim 25, wherein the session is associated with an application running on the mobile node.
- 31. (Original) The method as recited in claim 25, wherein obtaining the IP address for the mobile node comprises:

determining whether a mobility binding table associated with the Home Agent includes a binding between the NAI, the sub-NAI and an IP address;

when it is determined that the mobility binding table associated with the Home Agent includes a binding between the NAI, the sub-NAI and an IP address, obtaining the IP address from the mobility binding table.

32. (Original) The method as recited in claim 31, wherein obtaining the IP address for the mobile node further comprises:

when it is determined that the mobility binding table associated with the Home Agent does not include a binding between the NAI, the sub-NAI and an IP address, obtaining a new IP address.

33. (Original) The method as recited in claim 31, wherein obtaining the IP address for the mobile node further comprises:

when it is determined that the mobility binding table associated with the Home Agent does not include a binding between the NAI, the sub-NAI and an IP address, obtaining an IP address from a Home Address field of the registration request.

34. (Original) The method as recited in claim 31, further comprising:

when it is determined that the mobility binding table associated with the Home Agent does not include a binding between the NAI, the sub-NAI and an IP address, updating the mobility binding table associated with the Home Agent with an entry mapping the NAI and the sub-NAI to an IP address associated with the mobile node.

35. (Currently Amended) In a Foreign Agent, a method of processing a registration reply packet received from a mobile node, comprising:

receiving a registration reply including an IP address associated with the mobile node, a <u>NAI extension including a NAI</u> and a <u>sub-NAI extension including a sub-NAI</u> that uniquely identifies a session associated with the NAI;

updating a visitor table with a mapping of the NAI, the sub-NAI, and the IP address associated with the mobile node; and

sending the registration reply to the mobile node.

- 36. (Original) The method as recited in claim 35, wherein the NAI identifies a userID submitted during PPP authentication.
- 37. (Cancelled)

- 38. (Original) The method as recited in claim 35, wherein the session is associated with a device that is separate from the mobile node.
- 39. (Original) The method as recited in claim 35, wherein the session is associated with an application running on the mobile node.
- 40. (Currently Amended) A computer-readable medium for processing a registration request in a Foreign Agent, comprising:

instructions for receiving a registration request identifying a Home Agent associated with the mobile node, the registration request further including a <u>NAI extension including a</u> NAI associated with the mobile node;

instructions for providing a sub-NAI in <u>a sub-NAI extension to</u> the registration request, the sub-NAI uniquely identifying a session associated with the mobile node; and

instructions for sending the registration request to the Home Agent associated with the mobile node.

41. (Currently Amended) A Foreign Agent adapted for registering a session with a Home Agent, comprising:

a processor; and

a memory, the memory storing therein:

instructions for receiving a registration request identifying a Home Agent associated with the mobile node, the registration request further including a <u>NAI</u> extension including a <u>NAI</u> and a <u>sub-NAI</u> extension including a <u>sub-NAI</u> that uniquely identifies a session associated with the <u>NAI</u>; and

instructions for sending the registration request to the Home Agent.

42. (Currently Amended) A computer-readable medium for registering a session associated with a mobile node in a Home Agent, comprising:

instructions for receiving a registration request, the registration request including a NAI extension including a NAI identifying a mobile node and a <u>sub-NAI extension including</u> a <u>sub-NAI</u> that uniquely identifies a session associated with the NAI;

instructions for authenticating the mobile node using the NAI; and

instructions for composing a registration reply including a NAI extension including the NAI identifying the mobile node and a sub-NAI extension including the sub-NAI that uniquely identifies the session associated with the NAI.

43. (Currently Amended) A Home Agent configured for registering a session associated with a mobile node, comprising:

a processor; and

a memory, the memory storing therein:

instructions for receiving a registration request, the registration request including a <u>NAE extension including a NAI</u> and a <u>sub-NAI extension including a sub-NAI</u> that uniquely identifies a session associated with the NAI;

instructions for obtaining an IP address associated with the session;

instructions for composing a registration reply including the IP address, a NAI extension including the NAI and a sub-NAI extension including the sub-NAI that uniquely identifies the session associated with the NAI; and

instructions for sending the registration reply.

44. (Currently Amended) A Foreign Agent adapted for processing a registration request, comprising:

a processor; and

a memory, at least one of the processor and the memory being adapted for:

receiving a registration request identifying a Home Agent associated with the mobile node, the registration request further including a <u>NAI extension including a</u> NAI associated with the mobile node;

providing a sub-NAI in <u>sub-NAI extension to</u> the registration request, the sub-NAI uniquely identifying a session associated with the mobile node; and

sending the registration request to the Home Agent associated with the mobile node.

45. (Currently Amended) A Foreign Agent adapted for processing a registration request, comprising:

means for receiving a registration request identifying a Home Agent associated with the mobile node, the registration request further including a <u>NAI extension including a NAI</u> associated with the mobile node;

means for providing a sub-NAI in <u>sub-NAI extension to</u> the registration request, the sub-NAI uniquely identifying a session associated with the mobile node; and

means for sending the registration request to the Home Agent associated with the mobile node.

46. (Currently Amended) A computer-readable medium storing thereon computer-readable instructions for sending a registration request in a mobile node, comprising:

instructions for composing a registration request identifying a Home Agent associated with the mobile node, the registration request further including a NAI associated with the mobile node and a sub NAI that uniquely identifies a session associated with the mobile node; and

instructions for appending a NAI extension including a NAI associated with the mobile node to the registration request:

instructions for appending a sub-NAI extension including a sub-NAI that uniquely identifies a session associated with the mobile node to the registration request; and instructions for sending the registration request.

47. (Currently Amended) A mobile node adapted for sending a registration request, comprising:

a processor; and

a memory, at least one of the processor and the memory being adapted for:

composing a registration request identifying a Home Agent associated with the mobile node, the registration request further including a NAI associated with the mobile node and a sub-NAI that uniquely identifies a session associated with the mobile node; and

appending a NAI extension including a NAI associated with the mobile node to the registration request;

appending a sub-NAI extension including a sub-NAI that uniquely identifies a session associated with the mobile node to the registration request; and sending the registration request.

48. (Currently Amended) A mobile node adapted for sending a registration request, comprising:

means for composing a registration request identifying a Home Agent associated with the mobile node, the registration request further including a NAI associated with the mobile node and a sub-NAI that uniquely identifies a session associated with the mobile node; and

means for appending a NAI extension including a NAI associated with the mobile node to the registration request;

means for appending a sub-NAI extension including a sub-NAI that uniquely identifies a session associated with the mobile node to the registration request; and

means for sending the registration request.

49. (Currently Amended) A computer-readable medium storing thereon computer-readable instructions for registering a session with a Home Agent in a Foreign Agent, comprising:

instructions for receiving a registration request identifying a Home Agent associated with the mobile node, the registration request further including a <u>NAI</u> extension including a <u>NAI</u> and a <u>sub-NAI</u> extension including a <u>sub-NAI</u> that uniquely identifies a session associated with the NAI; and

instructions for sending the registration request to the Home Agent.

50. (Currently Amended) A Foreign Agent adapted for registering a session with a Home Agent, comprising:

means for receiving a registration request identifying a Home Agent associated with the mobile node, the registration request further including a NAI extension including a NAI and a <u>sub-NAI</u> extension including a <u>sub-NAI</u> that uniquely identifies a session associated with the NAI; and

means for sending the registration request to the Home Agent.

51. (Currently Amended) A Home Agent adapted for registering a session associated with a mobile node, comprising:

a processor; and

a memory, at least one of the processor and the memory being adapted for:

receiving a registration request, the registration request including a <u>NAI</u> extension including a <u>NAI</u> identifying a mobile node and a <u>sub-NAI</u> extension including a <u>sub-NAI</u> that uniquely identifies a session associated with the <u>NAI</u>;

authenticating the mobile node using the NAI; and

composing a registration reply including the NAI identifying the mobile node and the sub NAI that uniquely identifies the session associated with the NAI.;

appending a NAI extension to the registration reply, the NAI extension including the NAI identifying the mobile node; and

appending a sub-NAI extension to the registration reply, the sub-NAI extension including the sub-NAI that uniquely identifies the session associated with the NAI.

52. (Currently Amended) A Home Agent adapted for registering a session associated with a mobile node, comprising:

means for receiving a registration request, the registration request including a <u>NAI</u> extension including a <u>NAI</u> identifying a mobile node and a <u>sub-NAI</u> extension including a sub-NAI that uniquely identifies a session associated with the NAI;

means for authenticating the mobile node using the NAI; and

means for composing a registration reply including the NAI identifying the mobile node and the sub-NAI that uniquely identifies the session associated with the NAI.;

means for appending a NAI extension to the registration reply, the NAI extension including the NAI identifying the mobile node; and

means for appending a sub-NAI extension to the registration reply, the sub-NAI extension including the sub-NAI that uniquely identifies the session associated with the NAI.

53. (Currently Amended) A computer-readable medium storing thereon computer-readable instructions for registering a session associated with a mobile node in a Home Agent, comprising:

instructions for receiving a registration request, the registration request including a NAI extension including a NAI and a <u>sub-NAI extension including a sub-NAI</u> that uniquely identifies a session associated with the NAI;

instructions for obtaining an IP address associated with the session;

instructions for composing a registration reply including the IP address, the NAI and the sub-NAI that uniquely identifies the session associated with the NAI; and

appending a NAI extension to the registration reply, the NAI extension including the NAI;

appending a sub-NAI extension to the registration reply, the sub-NAI extension including the sub-NAI that uniquely identifies the session associated with the NAI; and instructions for sending the registration reply.

54. (Currently Amended) A Home Agent adapted for registering a session associated with a mobile node, comprising:

means for receiving a registration request, the registration request including a <u>Nai</u> extension including a NAI and a <u>sub-NAI</u> extension including a <u>sub-NAI</u> that uniquely identifies a session associated with the NAI;

means for obtaining an IP address associated with the session;

means for composing a registration reply including the IP address, the NAI and the sub-NAI that uniquely identifies the session associated with the NAI; and

appending a NAI extension to the registration reply, the NAI extension including the NAI;

appending a sub-NAI extension to the registration reply, the sub-NAI extension including the sub-NAI that uniquely identifies the session associated with the NAI; and means for sending the registration reply.

55. (Currently Amended) A computer-readable medium storing thereon computer-readable instructions for processing a registration reply packet received from a mobile node in a Foreign Agent, comprising:

instructions for receiving a registration reply including an IP address associated with the mobile node, a <u>NAI extension including a NAI</u> and a <u>sub-NAI extension including a sub-NAI</u> that uniquely identifies a session associated with the NAI;

instructions for updating a visitor table with a mapping of the NAI, the sub-NAI, and the IP address associated with the mobile node; and

instructions for sending the registration reply to the mobile node.

56. (Currently Amended) A Foreign Agent adapted for processing a registration reply packet received from a mobile node, comprising:

a processor; and

a memory, at least one of the processor and the memory being adapted for:

receiving a registration reply including an IP address associated with the mobile node, a <u>NAI extension including a NAI and a sub-NAI extension including a sub-NAI that uniquely identifies a session associated with the NAI;</u>

updating a visitor table with a mapping of the NAI, the sub-NAI, and the IP address associated with the mobile node; and

sending the registration reply to the mobile node.

57. (Currently Amended) A Foreign Agent adapted for processing a registration reply packet received from a mobile node, comprising:

means for receiving a registration reply including an IP address associated with the mobile node, a <u>NAI extension including a NAI</u> and a <u>sub-NAI extension including a sub-NAI</u> that uniquely identifies a session associated with the NAI;

means for updating a visitor table with a mapping of the NAI, the sub-NAI, and the IP address associated with the mobile node; and

means for sending the registration reply to the mobile node.